

CAVITY SLIDING DOORS

PRODUCT INFORMATION

Product performance is subject to regional variations, design requirements and building codes. Performance parameters are independent of each other.

Images are for illustration purposes only and may not accurately represent the product. Bradnam's Windows & Doors reserves the right to change, alter or delete any aspect of this product without notice.

PERFORMANCE PARAMETERS

CONFIGURATIONS

COLONIAL BAR OPTIONS

PROFILE DIMENSIONS

REVEAL SETBACKS




PERFORMANCE PARAMETERS


	Signature	Commercial
Frame sizes	100mm	100mm / 150mm
Maximum door height	166mm 2550mm	200mm / 250mm 2750mm
Maximum door width	6246mm	12000mm
Maximum panel width	1350mm	1800mm
Maximum panel weight	100kg	160kg
Maximum water rating	600Pa	650Pa
Maximum wind rating	4500Pa ULS	6000Pa ULS
Maximum glass thickness (single glazed)	12.76mm	10.76mm
Maximum glass thickness (double glazed)	20mm	28mm
Maximum acoustic rating	Rw44	Rw35
Maximum bushfire rating	BAL 40	BAL 40
Lowest U-value (single glazed)	4.2	4.5
Lowest U-value (double glazed)	2.7	3.1


Note: Performance figures are independent of each other and subject to conditions. Contact a Bradnam's Windows & Doors representative to discuss your specific project requirements.


CONFIGURATIONS

Designer











COLONIAL BAR OPTIONS


Design Options




SF2118 Traditional Colonial




SF2118 Australian Colonial



SF2118 Highlander




SF2118 Traditional Federation



SF2118 Australian Federation

Types of Colonial Bar


Scale 5:1






Flat


PROFILE DIMENSIONS




PROFILE DIMENSIONS



REVEAL SETBACKS



Signature Cavity Sliding Door (100mm)



Signature Cavity Sliding Door (166mm)

REVEAL SETBACKS

