

Bradnam's

# Size Range Catalogue

Queensland




**Bradnam's**  
windows & doors



Homes by CMA


# Design styles WINDOWS AND DOORS



Sliding



Sliding



Double Hung



Awning



Casement




Fixed Lite



90° Bay Window



Transom Window



Louvre



Bi-fold




French



135° Bay Window



Rake



Circle



Arch

## Important information

- All diagrams shown as viewed from the exterior.
- All measurements are in millimetres and are coded for ordering purposes.
- Height is always indicated first – sizes are finished sizes and do not include building-in fin.
- When ordering, please state left or right hand opening as viewed from the exterior of the building.
- Timber reveal lining is available.
- Timber reveal lining is not fitted to the door sill.
- Large windows may need motif. Confirm with a Bradnam's sales representative.
- All doors are fitted with safety glass and motif.
- Large windows may need motif. Confirm with a Bradnam's sales representative.
- Heavy duty sections may be used depending on the product size and required wind pressure.
- All first floor windows will be restricted to only open 125mm unless a fall prevention screen is fitted.
- All windows onto a pool area will be restricted to open 100mm unless a fall prevention screen is fitted.

## Colonial Bar options



XO1218  
Traditional Colonial



XO1218  
Australian Colonial



XO1218  
Highlander



XO1218  
Traditional Federation



XO1218  
Australian Federation

# Benefits of double glazed windows & doors

It's a well-known fact that windows and doors are a pivotal element in determining a home's design.

They establish a crucial link with the outside world, usher in abundant natural light and airflow, and ultimately enhance the atmosphere of the space.

Whilst some homeowners may opt for a more budget-friendly single-glazed option, let's delve into some of the core reasons why advantages await those who choose to double glaze their windows and doors.


































SCAN CODE TO VIEW

[www.bradnams.com.au/benefits-of-double-glazing-windows/](http://www.bradnams.com.au/benefits-of-double-glazing-windows/)

# Sliding Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Sliding Windows may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed

| STUD OPENING mm |      | 660                                                                                             | 960                                                                                             | 1260                                                                                             | 1560                                                                                              | 1860                                                                                               | 2160                                                                                                 | 2460                                                                                                 | 2760                                                                                                 | 3060                                                                                           |
|-----------------|------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| FRAME SIZE mm   |      | 610                                                                                             | 910                                                                                             | 1210                                                                                             | 1510                                                                                              | 1810                                                                                               | 2110                                                                                                 | 2410                                                                                                 | 2710                                                                                                 | 3010                                                                                           |
| 660             | 600  | <br>SF0606     | <br>SF0609     | <br>SF0612      | <br>SF0615       | <br>SF0618       | <br>SF0621        | <br>SFS0624       | <br>SFS0627       | <br>SFS0630 |
|                 | 900  | <br>SF0906     | <br>SF0909     | <br>SF0912      | <br>SF0915       | <br>SF0918       | <br>SF0921        | <br>SFS0924       | <br>SFS0927       | <br>SFS0930 |
| 1060            | 1000 | <br>SF1006     | <br>SF1009     | <br>SF1012      | <br>SF1015       | <br>SF1018       | <br>SF1021        | <br>SFS1024       | <br>SFS1027       | <br>SFS1030 |
|                 | 1200 |                                                                                                 | <br>SF1209     | <br>SF1212      | <br>SF1215       | <br>SF1218       | <br>SF1221        | <br>SFS1224       | <br>SFS1227       | <br>SFS1230 |
| 1560            | 1500 |                                                                                                 |                                                                                                 | <br>SF1512      | <br>SF1515       | <br>SF1518       | <br>SF1521        | <br>SFS1524       | <br>SFS1527       | <br>SFS1530 |
|                 | 1800 | <br>SF/F1809 | <br>SF/F1812 | <br>SF/FF1815 | <br>SF/FF1818 | <br>SF/FF1821 | <br>SFS/FFF1824 | <br>SFS/FFF1827 | <br>SFS/FFF1830 |                                                                                                |
| 1860            | 1800 | <br>SF/F1809 | <br>SF/F1812 | <br>SF/FF1815 | <br>SF/FF1818 | <br>SF/FF1821 | <br>SFS/FFF1824 | <br>SFS/FFF1827 | <br>SFS/FFF1830 |                                                                                                |
|                 | 600  |                                                                                                 | <br>SF/F1809 | <br>SF/FF1815 | <br>SF/FF1818 | <br>SF/FF1821 | <br>SFS/FFF1824 | <br>SFS/FFF1827 | <br>SFS/FFF1830 |                                                                                                |
| 2160            | 2100 |                                                                                                 | <br>SF/F2112 | <br>SF/FF2115 | <br>SF/FF2118 | <br>SF/FF2121 | <br>SFS/FFF2124 | <br>SFS/FFF2127 | <br>SFS/FFF2130 |                                                                                                |
|                 |      |                                                                                                 | <br>SF/F2112 | <br>SF/FF2115 | <br>SF/FF2118 | <br>SF/FF2121 | <br>SFS/FFF2124 | <br>SFS/FFF2127 | <br>SFS/FFF2130 |                                                                                                |

Viewed from exterior: **S** = Sliding Panel, **F** = Fixed Panel

Arrow indicates sliding direction

Also available in FS or FSSF configurations (minimum of 1810mm in width required)

# Double Hung Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Double Hung Windows may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed (Signature version only)





























| STUD OPENING mm |      | 660                                                                                 | 960                                                                                 | 1260                                                                                | 1560                                                                                | 1860                                                                                | 2160                                                                                  | 2460                                                                                  | 2760                                                                                  | 3060                                                                                |
|-----------------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| FRAME SIZE mm   |      | 610                                                                                 | 910                                                                                 | 1210                                                                                | 1510                                                                                | 1810                                                                                | 2110                                                                                  | 2410                                                                                  | 2710                                                                                  | 3010                                                                                |
| 960             | 900  |    |    |    |    |    |    |    |    |  |
|                 |      | D0906                                                                               | D0909                                                                               | D0912                                                                               | DD0915                                                                              | DD0918                                                                              | DDD0921                                                                               | DDD0924                                                                               | DDD0927                                                                               | DDD0930                                                                             |
| 1060            | 1000 |    |    |    |    |    |    |    |    |  |
|                 |      | D1006                                                                               | D1009                                                                               | D1012                                                                               | DD1015                                                                              | DD1018                                                                              | DDD1021                                                                               | DDD1024                                                                               | DDD1027                                                                               | DDD1030                                                                             |
| 1260            | 1200 |    |    |    |    |    |    |    |    |  |
|                 |      | D1206                                                                               | D1209                                                                               | D1212                                                                               | DD1215                                                                              | DD1218                                                                              | DDD1221                                                                               | DDD1224                                                                               | DDD1227                                                                               | DDD1230                                                                             |
| 1560            | 1500 |    |    |    |    |    |    |    |    |  |
|                 |      | D1506                                                                               | D1509                                                                               | DD1512                                                                              | DD1515                                                                              | DD1518                                                                              | DDD1521                                                                               | DDD1524                                                                               | DDD1527                                                                               | DDD1530                                                                             |
| 1860            | 1800 |    |    |    |    |    |    |    |    |                                                                                     |
|                 |      | D1806                                                                               | D1809                                                                               | DD1812                                                                              | DD1815                                                                              | DD1818                                                                              | DDD1821                                                                               | DDD1824                                                                               | DDD1827                                                                               |                                                                                     |
| 2160            | 2100 |  |  |  |  |  |  |  |  |                                                                                     |
|                 |      | D2106                                                                               | D2109                                                                               | DD2112                                                                              | DD2115                                                                              | DD2118                                                                              | DDD2121                                                                               | DDD2124                                                                               | DDD2127                                                                               |                                                                                     |

Arrow indicates sliding direction

# Awning Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Awning Windows may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed


| STUD OPENING mm |      | 660                                                                                            | 960                                                                                            | 1260                                                                                            | 1560                                                                                             | 1860                                                                                              | 2160                                                                                                 | 2460                                                                                                 | 2760                                                                                                 | 3060                                                                                                 |
|-----------------|------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| FRAME SIZE mm   |      | 610                                                                                            | 910                                                                                            | 1210                                                                                            | 1510                                                                                             | 1810                                                                                              | 2110                                                                                                 | 2410                                                                                                 | 2710                                                                                                 | 3010                                                                                                 |
| 660             | 600  | <br>A0606     | <br>A0609     | <br>AA0612     | <br>AA0615      | <br>AA0618      | <br>AAA0621       | <br>AAA0624       | <br>AAA0627       | <br>AAA0630       |
|                 | 900  | <br>A0906     | <br>A0909     | <br>AA0912     | <br>AA0915      | <br>AA0918      | <br>AAA0921       | <br>AAA0924       | <br>AAA0927       | <br>AAA0930       |
| 960             | 1000 | <br>A1006     | <br>A1009     | <br>AA1012     | <br>AA1015      | <br>AA1018      | <br>AAA1021       | <br>AAA1024       | <br>AAA1027       | <br>AAA1030       |
|                 | 1200 | <br>A1206     | <br>A1209     | <br>AA1212     | <br>AA1215      | <br>AA1218      | <br>AAA1221       | <br>AAA1224       | <br>AAA1227       | <br>AAA1230       |
| 1060            | 1500 | <br>A1506     | <br>A1509     | <br>AA1512     | <br>AA1515      | <br>AA1518      | <br>AAA1521       | <br>AAA1524       | <br>AAA1527       | <br>AAA1530       |
|                 | 1800 | <br>A/F1806 | <br>A/F1809 | <br>AA/F1812 | <br>AA/FF1815 | <br>AA/FF1818 | <br>AAA/FFF1821 | <br>AAA/FFF1824 | <br>AAA/FFF1827 | <br>AAA/FFF1830 |
| 1260            | 1200 | <br>A1206   | <br>A1209   | <br>AA1212   | <br>AA1215    | <br>AA1218    | <br>AAA1221     | <br>AAA1224     | <br>AAA1227     | <br>AAA1230     |
|                 | 600  | <br>A/F1806 | <br>A/F1809 | <br>AA/F1812 | <br>AA/FF1815 | <br>AA/FF1818 | <br>AAA/FFF1821 | <br>AAA/FFF1824 | <br>AAA/FFF1827 | <br>AAA/FFF1830 |
| 1560            | 1500 | <br>A1506   | <br>A1509   | <br>AA1512   | <br>AA1515    | <br>AA1518    | <br>AAA1521     | <br>AAA1524     | <br>AAA1527     | <br>AAA1530     |
|                 | 1800 | <br>A/F1806 | <br>A/F1809 | <br>AA/F1812 | <br>AA/FF1815 | <br>AA/FF1818 | <br>AAA/FFF1821 | <br>AAA/FFF1824 | <br>AAA/FFF1827 | <br>AAA/FFF1830 |
| 1860            | 1200 | <br>A1206   | <br>A1209   | <br>AA1212   | <br>AA1215    | <br>AA1218    | <br>AAA1221     | <br>AAA1224     | <br>AAA1227     | <br>AAA1230     |
|                 | 600  | <br>A/F1806 | <br>A/F1809 | <br>AA/F1812 | <br>AA/FF1815 | <br>AA/FF1818 | <br>AAA/FFF1821 | <br>AAA/FFF1824 | <br>AAA/FFF1827 | <br>AAA/FFF1830 |
| 2160            | 1500 | <br>A1506   | <br>A1509   | <br>AA1512   | <br>AA1515    | <br>AA1518    | <br>AAA1521     | <br>AAA1524     | <br>AAA1527     | <br>AAA1530     |
|                 | 600  | <br>A/F2106 | <br>A/F2109 | <br>AA/F2112 | <br>AA/FF2115 | <br>AA/FF2118 | <br>AAA/FFF2121 | <br>AAA/FFF2124 | <br>AAA/FFF2127 | <br>AAA/FFF2130 |

Viewed from exterior: **A** = Operable Sash, **F** = Fixed Panel. All Awning Window sashes come standard with a chain winder.

# Gas Strut Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Gas Strut Windows may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed

| STUD OPENING mm |      | 960                                                                                        | 1260                                                                                       | 1560                                                                                       | 1860                                                                                       | 2160                                                                                         |
|-----------------|------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| FRAME SIZE mm   |      | 910                                                                                        | 1210                                                                                       | 1510                                                                                       | 1810                                                                                       | 2110                                                                                         |
| 960             | 900  | <br>A0909 | <br>A0912 | <br>A0915 | <br>A0918 | <br>A0921 |
|                 | 1000 | <br>A1009 | <br>A1012 | <br>A1015 | <br>A1018 | <br>A1021 |
|                 | 1200 | <br>A1209 | <br>A1212 | <br>A1215 | <br>A1218 | <br>A1221 |
|                 | 1500 | <br>A1509 | <br>A1512 | <br>A1515 | <br>A1518 | <br>A1521 |

# Casement Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Casement Windows may be subject to local variation or regulatory requirements.

+ Available Single or Double Glazed

| STUD OPENING mm |      | 660                                                                                        | 960                                                                                         | 1260                                                                                        | 1560                                                                                         | 1860                                                                                          | 2160                                                                                            | 2460                                                                                            |
|-----------------|------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| FRAME SIZE mm   |      | 610                                                                                        | 910                                                                                         | 1210                                                                                        | 1510                                                                                         | 1810                                                                                          | 2110                                                                                            | 2410                                                                                            |
| 660             | 600  | <br>C0606 | <br>CC0609 | <br>CC0612 | <br>CCC0615 | <br>CCC0618 | <br>CCCC0621 | <br>CCCC0624 |
|                 | 900  | <br>C0906 | <br>CC0909 | <br>CC0912 | <br>CCC0915 | <br>CCC0918 | <br>CCCC0921 | <br>CCCC0924 |
|                 | 1060 | <br>C1006 | <br>CC1009 | <br>CC1012 | <br>CCC1015 | <br>CCC1018 | <br>CCCC1021 | <br>CCCC1024 |
|                 | 1260 | <br>C1206 | <br>CC1209 | <br>CC1212 | <br>CCC1215 | <br>CCC1218 | <br>CCCC1221 | <br>CCCC1224 |
|                 | 1560 | <br>C1506 | <br>CC1509 | <br>CC1512 | <br>CCC1515 | <br>CCC1518 | <br>CCCC1521 | <br>CCCC1524 |

Maximum sash width is 850mm

Minimum sash width is 650mm

# Louvre Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Louvre Windows may be subject to local variation or regulatory requirements.

## Louvre information

- L = Single Louvre Bay
- Blades can be glass, timber or aluminium
- Handle on LH side viewed from inside

| Frame Widths (mm) |      |
|-------------------|------|
| L                 | 610  |
| L                 | 910  |
| LL                | 1210 |
| LL                | 1510 |
| LL                | 1810 |
| LLL               | 2110 |
| LLL               | 2410 |
| LLL               | 2710 |

| 152mm Blades<br>Stud Opening (mm) | 152mm Blades<br>Frame Height (mm) | 102mm Blades<br>Stud Opening (mm) | 102mm Blades<br>Frame Height (mm) | Number of Blades |
|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|------------------|
| 422                               | 362                               | N/A                               | N/A                               | 2                |
| 562                               | 502                               | 409                               | 349                               | 3                |
| 701                               | 641                               | 498                               | 438                               | 4                |
| 841                               | 781                               | 587                               | 527                               | 5                |
| 981                               | 921                               | 676                               | 616                               | 6                |
| 1120                              | 1060                              | 765                               | 705                               | 7                |
| 1260                              | 1200                              | 854                               | 794                               | 8                |
| 1400                              | 1340                              | 943                               | 883                               | 9                |
| 1539                              | 1479                              | 1031                              | 971                               | 10               |
| 1679                              | 1619                              | 1120                              | 1060                              | 11               |
| 1819                              | 1759                              | 1209                              | 1149                              | 12               |
| 1959                              | 1899                              | 1298                              | 1238                              | 13               |
| 2098                              | 2038                              | 1387                              | 1327                              | 14               |
| 2238                              | 2178                              | 1476                              | 1416                              | 15               |
| 2378                              | 2318                              | 1565                              | 1505                              | 16               |
| 2517                              | 2457                              | 1654                              | 1594                              | 17               |
| 2657                              | 2597                              | 1743                              | 1683                              | 18               |
| 2797                              | 2737                              | 1832                              | 1772                              | 19               |
| 2936                              | 2876                              | 1920                              | 1860                              | 20               |
| 3086                              | 3016                              | 2009                              | 1949                              | 21               |
| N/A                               | N/A                               | 2098                              | 2038                              | 22               |
| N/A                               | N/A                               | 2187                              | 2127                              | 23               |
| N/A                               | N/A                               | 2276                              | 2216                              | 24               |
| N/A                               | N/A                               | 2365                              | 2305                              | 25               |
| N/A                               | N/A                               | 2454                              | 2394                              | 26               |
| N/A                               | N/A                               | 2543                              | 2483                              | 27               |
| N/A                               | N/A                               | 2632                              | 2572                              | 28               |
| N/A                               | N/A                               | 2721                              | 2661                              | 29               |
| N/A                               | N/A                               | 2809                              | 2749                              | 30               |

## Bi-fold Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Bi-fold Windows may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed

| STUD OPENING mm |      | 960    |  | 1260 |  | 1860   |  | 2160 |  | 2460 |  | 2760 |  | 3060   |  | 2760 |  | 3060 |  | 3360 |  | 3660 |  |  |  |
|-----------------|------|--------|--|------|--|--------|--|------|--|------|--|------|--|--------|--|------|--|------|--|------|--|------|--|--|--|
| FRAME SIZE mm   |      | 910    |  | 1210 |  | 1810   |  | 2110 |  | 2410 |  | 2710 |  | 3010   |  | 2710 |  | 3010 |  | 3310 |  | 3610 |  |  |  |
|                 |      | 2 LITE |  |      |  | 4 LITE |  |      |  |      |  |      |  | 6 LITE |  |      |  |      |  |      |  |      |  |  |  |
| 660             | 600  |        |  |      |  |        |  |      |  |      |  |      |  |        |  |      |  |      |  |      |  |      |  |  |  |
| 960             | 900  |        |  |      |  |        |  |      |  |      |  |      |  |        |  |      |  |      |  |      |  |      |  |  |  |
| 1060            | 1000 |        |  |      |  |        |  |      |  |      |  |      |  |        |  |      |  |      |  |      |  |      |  |  |  |
| 1260            | 1200 |        |  |      |  |        |  |      |  |      |  |      |  |        |  |      |  |      |  |      |  |      |  |  |  |
|                 |      |        |  |      |  |        |  |      |  |      |  |      |  |        |  |      |  |      |  |      |  |      |  |  |  |
|                 | 220  |        |  |      |  | 440    |  |      |  |      |  |      |  | 660    |  |      |  |      |  |      |  |      |  |  |  |
|                 | 202  |        |  |      |  | 422    |  |      |  |      |  |      |  | 642    |  |      |  |      |  |      |  |      |  |  |  |
|                 |      |        |  |      |  | 404    |  |      |  |      |  |      |  | 624    |  |      |  |      |  |      |  |      |  |  |  |
|                 |      |        |  |      |  |        |  |      |  |      |  |      |  | 606    |  |      |  |      |  |      |  |      |  |  |  |

## Bi-Fold numbering

eg: **422** (exterior view from left to right)

| 4            | 2                            | 2                             |
|--------------|------------------------------|-------------------------------|
| Total panels | No of panels opening to left | No of panels opening to right |


# Bay Windows STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Bay Windows may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed


## 90° Bay Window setout

|                 |          |   |                          |
|-----------------|----------|---|--------------------------|
| Width of window | <b>A</b> | = | Slab dimension A – 300mm |
| Width of window | <b>B</b> | = | Slab dimension B – 150mm |
| Width of window | <b>C</b> | = | Slab dimension C – 150mm |



## 135° Bay Window setout



|                 |          |   |                                                                                                                     |
|-----------------|----------|---|---------------------------------------------------------------------------------------------------------------------|
| Width of window | <b>A</b> | = | Slab dimension A – 140mm                                                                                            |
| Width of window | <b>B</b> | = | Slab dimension B – 160mm                                                                                            |
| Width of window | <b>C</b> | = | Slab dimension C – 160mm                                                                                            |
| Stud opening    | <b>D</b> | = | $(2 \times \text{Slab dimension B} \times 0.7071) + \text{Slab dimension A} - 130\text{mm}$ where B and C are equal |





# Sliding Doors STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Sliding Doors may be subject to local variation or regulatory requirements.

+ Available Single or Double Glazed (Signature & Commercial versions only)

| STUD OPENING mm |      | 1560                                                                              | 1860                                                                              | 2160                                                                              | 2460                                                                               | 2760                                                                                | Also available in FS configuration |
|-----------------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------|
| FRAME SIZE mm   |      | 1510                                                                              | 1810                                                                              | 2110                                                                              | 2410                                                                               | 2710                                                                                |                                    |
| 2140            | 2100 |  |  |  |  |  |                                    |
|                 |      | SF2115                                                                            | SF2118                                                                            | SF2121                                                                            | SF2124                                                                             | SF2127                                                                              |                                    |
| 2440            | 2400 |  |  |  |  |  |                                    |
|                 |      | SF2415                                                                            | SF2418                                                                            | SF2421                                                                            | SF2424                                                                             | SF2427                                                                              |                                    |













| STUD OPENING mm |      | 2288                                                                                | 2738                                                                                | 3188                                                                                 | 3638                                                                                  | 4088                                                                                  | Also available in FSFL configuration |
|-----------------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------------------|
| FRAME SIZE mm   |      | 2238                                                                                | 2688                                                                                | 3138                                                                                 | 3588                                                                                  | 4038                                                                                  |                                      |
| 2140            | 2100 |   |   |   |   |   |                                      |
|                 |      | FSFR2122                                                                            | FSFR2127                                                                            | FSFR2131                                                                             | FSFR2136                                                                              | FSFR2140                                                                              |                                      |
| 2440            | 2400 |  |  |  |  |  |                                      |
|                 |      | FSFR2422                                                                            | FSFR2427                                                                            | FSFR2431                                                                             | FSFR2436                                                                              | FSFR2440                                                                              |                                      |

Viewed from exterior: **S** = Sliding Panel, **F** = Fixed Panel    Arrow indicates sliding direction

# Sliding Doors STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Sliding Doors may be subject to local variation or regulatory requirements.

+ Available Single or Double Glazed (Signature & Commercial versions only)






| STUD OPENING mm |      | 2288                                                                                | 2738                                                                                | 3188                                                                                 | 3638                                                                                  | 4088                                                                                  |                                     |
|-----------------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------|
| FRAME SIZE mm   |      | 2238                                                                                | 2688                                                                                | 3138                                                                                 | 3588                                                                                  | 4038                                                                                  |                                     |
| 2140            | 2100 |    |    |    |    |    | Also available in FSS configuration |
|                 |      | SSF2122                                                                             | SSF2127                                                                             | SSF2131                                                                              | SSF2136                                                                               | SSF2140                                                                               |                                     |
| 2440            | 2400 |    |    |    |    |    |                                     |
|                 |      | SSF2422                                                                             | SSF2427                                                                             | SSF2431                                                                              | SSF2436                                                                               | SSF2440                                                                               |                                     |
| STUD OPENING mm |      | 3034                                                                                | 3634                                                                                | 4234                                                                                 | 4834                                                                                  | 5434                                                                                  |                                     |
| FRAME SIZE mm   |      | 2984                                                                                | 3584                                                                                | 4184                                                                                 | 4784                                                                                  | 5384                                                                                  |                                     |
| 2140            | 2100 |   |   |   |   |   |                                     |
|                 |      | FSSF2130                                                                            | FSSF2136                                                                            | FSSF2142                                                                             | FSSF2148                                                                              | FSSF2154                                                                              |                                     |
| 2440            | 2400 |  |  |  |  |  |                                     |
|                 |      | FSSF2430                                                                            | FSSF2436                                                                            | FSSF2442                                                                             | FSSF2448                                                                              | FSSF2454                                                                              |                                     |

Viewed from exterior: S = Sliding Panel, F = Fixed Panel    Arrow indicates sliding direction

# Sliding Doors STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Sliding Doors may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed (Signature & Commercial versions only)

| STUD OPENING mm |      | 4496                                                                                            | 5396                                                                                             | 6296                                                                                              |
|-----------------|------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| FRAME SIZE mm   |      | 4446                                                                                            | 5346                                                                                             | 6246                                                                                              |
| 2140            | 2100 | <br>FSSSSF2144 | <br>FSSSSF2153 | <br>FSSSSF2162 |
|                 | 2400 | <br>FSSSSF2444 | <br>FSSSSF2453 | <br>FSSSSF2462 |

Viewed from exterior: **S** = Sliding Panel, **F** = Fixed Panel    Arrow indicates sliding direction

# Corner Sliding Doors STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Corner Sliding Doors may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed

## Signature 100mm Corner Sliding Door



Available 2100mm or 2400mm high

**Note:** Choose 1 size from each column to make a Corner Sliding Door

| Internal                                |         |                                       |         |
|-----------------------------------------|---------|---------------------------------------|---------|
| Signature SD100 Door <u>with</u> handle |         | Signature SD100 Door <u>no</u> handle |         |
| Door Width                              | Handing | Door Width                            | Handing |
| 1476                                    | 2 Lite  | 1494                                  | 2 Lite  |
| 1716                                    | 2 Lite  | 1734                                  | 2 Lite  |
| 2076                                    | 2 Lite  | 2094                                  | 2 Lite  |
| 2316                                    | 2 Lite  | 2334                                  | 2 Lite  |

| External                                |         |                                       |         |
|-----------------------------------------|---------|---------------------------------------|---------|
| Signature SD100 Door <u>with</u> handle |         | Signature SD100 Door <u>no</u> handle |         |
| Door Width                              | Handing | Door Width                            | Handing |
| 1640                                    | 2 Lite  | 1660                                  | 2 Lite  |
| 1880                                    | 2 Lite  | 1900                                  | 2 Lite  |
| 2240                                    | 2 Lite  | 2260                                  | 2 Lite  |
| 2480                                    | 2 Lite  | 2500                                  | 2 Lite  |



## Signature 166mm Corner Sliding Door

Available 2100mm or 2400mm high

**Note:** Choose 1 size from each column to make a Corner Sliding Door  
Cannot pair 2 Lite with another 2 Lite

| Internal                                |         |                                       |         |
|-----------------------------------------|---------|---------------------------------------|---------|
| Signature SD166 Door <u>with</u> handle |         | Signature SD166 Door <u>no</u> handle |         |
| Door Width                              | Handing | Door Width                            | Handing |
| 1410                                    | 2 Lite  | 1427                                  | 2 Lite  |
| 1650                                    | 2 Lite  | 1667                                  | 2 Lite  |
| 2010                                    | 2 Lite  | 2027                                  | 2 Lite  |
| 2250                                    | 2 Lite  | 2267                                  | 2 Lite  |
| 2169                                    | 3 Lite  | 2187                                  | 3 Lite  |
| 2529                                    | 3 Lite  | 2547                                  | 3 Lite  |
| 3069                                    | 3 Lite  | 3087                                  | 3 Lite  |
| 3429                                    | 3 Lite  | 3447                                  | 3 Lite  |

| External                                |         |                                       |         |
|-----------------------------------------|---------|---------------------------------------|---------|
| Signature SD166 Door <u>with</u> handle |         | Signature SD166 Door <u>no</u> handle |         |
| Door Width                              | Handing | Door Width                            | Handing |
| 1706                                    | 2 Lite  | 1726                                  | 2 Lite  |
| 1946                                    | 2 Lite  | 1966                                  | 2 Lite  |
| 2306                                    | 2 Lite  | 2326                                  | 2 Lite  |
| 2546                                    | 2 Lite  | 2566                                  | 2 Lite  |
| 2466                                    | 3 Lite  | 2484                                  | 3 Lite  |
| 2826                                    | 3 Lite  | 2844                                  | 3 Lite  |
| 3366                                    | 3 Lite  | 3384                                  | 3 Lite  |
| 3726                                    | 3 Lite  | 3744                                  | 3 Lite  |






Check with your Bradnam's representative to confirm the stud and brick opening  
Some configurations cannot be screened

# Bi-fold Doors STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Bi-fold Doors may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed

● Indicates operable door leaf with external door handle for external access

| STUD OPENING mm |      | 1650                                                                              | 2450                                                                                    | 3250                                                                                     | 4050                                                                                      | 4850                                                                                      |
|-----------------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| FRAME SIZE mm   |      | 1600                                                                              | 2400                                                                                    | 3200                                                                                     | 4000                                                                                      | 4800                                                                                      |
|                 |      | 2 LITE                                                                            | 3 LITE                                                                                  | 4 LITE                                                                                   | 5 LITE                                                                                    | 6 LITE                                                                                    |
| 2140            | 2100 |  |        |        |        |        |
|                 | 2440 |  |        |        |        |        |
| 2440            | 220  |  | 321    | 440    | 541    | 660    |
|                 | 202  |  | 312    | 431    | 532    | 651    |
|                 |      |                                                                                   | 330   | 422   | 523   | 642   |
|                 |      |                                                                                   | 303  | 413  | 514  | 633  |
|                 |      |                                                                                   |                                                                                         | 404  | 550  | 624  |
|                 |      |                                                                                   |                                                                                         |                                                                                          | 505  | 606  |
|                 |      |                                                                                   |                                                                                         |                                                                                          |                                                                                           | 615  |
|                 |      |                                                                                   |                                                                                         |                                                                                          |                                                                                           |                                                                                           |
|                 |      |                                                                                   |                                                                                         |                                                                                          |                                                                                           |                                                                                           |
|                 |      |                                                                                   |                                                                                         |                                                                                          |                                                                                           |                                                                                           |

**Bi-Fold numbering**

eg: **321** (exterior view from left to right)

|              |                              |                               |
|--------------|------------------------------|-------------------------------|
| <b>3</b>     | <b>2</b>                     | <b>1</b>                      |
| Total panels | No of panels opening to left | No of panels opening to right |

Check with your Bradnam's representative to confirm the stud and brick opening

# Corner Bi-fold Doors STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Corner Bi-fold Doors may be subject to local variation or regulatory requirements.

 Available Single or Double Glazed

## Signature 100mm Corner Bi-fold Door

Available 2100mm or 2400mm high

**Note:** Choose 2 sizes from this column to make a Corner Bi-fold Door

### Internal


| Signature Bi-fold Door |         |
|------------------------|---------|
| Door Width             | Handing |
| 1547                   | 3 Lite  |
| 1667                   | 3 Lite  |
| 1787                   | 3 Lite  |
| 2307                   | 3 Lite  |
| 2482                   | 3 Lite  |
| 2667                   | 5 Lite  |
| 3087                   | 5 Lite  |
| 3347                   | 5 Lite  |
| 3567                   | 5 Lite  |
| 4177                   | 5 Lite  |
| 4287                   | 5 Lite  |
| 4767                   | 7 Lite  |
| 5027                   | 7 Lite  |

### External


| Signature Bi-fold Door |         |
|------------------------|---------|
| Door Width             | Handing |
| 1593                   | 3 Lite  |
| 1713                   | 3 Lite  |
| 1833                   | 3 Lite  |
| 2353                   | 3 Lite  |
| 2528                   | 3 Lite  |
| 2713                   | 5 Lite  |
| 3133                   | 5 Lite  |
| 3393                   | 5 Lite  |
| 3613                   | 5 Lite  |
| 4223                   | 5 Lite  |
| 4333                   | 5 Lite  |
| 4813                   | 7 Lite  |
| 5073                   | 7 Lite  |

**Note:** Choose 2 sizes from this column to make a Corner Bi-fold Door

### Internal Door



### External Door



Check with your Bradnam's representative to confirm the stud and brick opening


# French Doors STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. French Doors may be subject to local variation or regulatory requirements.

+ Available Single or Double Glazed

## French Door information

- Operable windows are available as side lites if required
- Hi lites are available subject to confirmation of structural performance



# Signature Entrance Doors STANDARD SIZES

The availability of certain sizes and configurations is dependent on the design wind load requirement as per AS2047-2014. Check with your Bradnam's representative to confirm availability. Entrance Doors may be subject to local variation or regulatory requirements.

## Low Profile Sill

| STUD OPENING mm |      | 928                                                                               | 1028                                                                              | 1128                                                                              | 1308                                                                              | 1754                                                                                | 1954                                                                                |
|-----------------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| FRAME SIZE mm   |      | 878                                                                               | 978                                                                               | 1078                                                                              | 1258                                                                              | 1704                                                                                | 1904                                                                                |
| 2140            | 2100 |  |  |  |  |  |  |
|                 |      | 820 Sash                                                                          | 920 Sash                                                                          | 1020 Sash                                                                         | 1200 Sash                                                                         | 2 x 820 Sash                                                                        | 2 x 920 Sash                                                                        |
| 2440            | 2400 |  |  |  |  |  |  |
|                 |      | 820 Sash                                                                          | 920 Sash                                                                          | 1020 Sash                                                                         | 1200 Sash                                                                         | 2 x 820 Sash                                                                        | 2 x 920 Sash                                                                        |

## Standard Sill


| STUD OPENING mm |      | 928                                                                                 | 1028                                                                                | 1128                                                                                | 1308                                                                                | 1754                                                                                  | 1954                                                                                  |
|-----------------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| FRAME SIZE mm   |      | 878                                                                                 | 978                                                                                 | 1078                                                                                | 1258                                                                                | 1704                                                                                  | 1904                                                                                  |
| 2147            | 2107 |  |  |  |  |  |  |
|                 |      | 820 Sash                                                                            | 920 Sash                                                                            | 1020 Sash                                                                           | 1200 Sash                                                                           | 2 x 820 Sash                                                                          | 2 x 920 Sash                                                                          |
| 2447            | 2407 |  |  |  |  |  |  |
|                 |      | 820 Sash                                                                            | 920 Sash                                                                            | 1020 Sash                                                                           | 1200 Sash                                                                           | 2 x 820 Sash                                                                          | 2 x 920 Sash                                                                          |



 **Bradnam's**  
windows & doors

Corbett Homes

Visit us on social media



WINDOWS & DOORS

INSECT & SECURITY SCREENS



**Australian made and owned**  
Bradnam's products are proudly made in Australia and designed specifically to meet all Australian conditions.

Product availability, pricing, features, options, sizes, configurations and performance are subject to regional variations, design requirements and building codes.

Images are for illustration purposes only and may not accurately represent the product. Bradnam's Windows & Doors reserves the right to change, alter or delete any aspect of this product without notice.

We recommend visiting a Bradnam's showroom before ordering to view colour swatches, glass samples and actual products.



Bradnam's Windows and Doors . QBCC Act lic 58885  
© Bradnam's Windows and Doors . v16 Oct 2026